

QCRV7.E103997 - OUTLET BUSHINGS AND FITTINGS CERTIFIED FOR CANADA

Outlet Bushings and Fittings Certified for Canada

See General Information for Outlet Bushings and Fittings Certified for Canada

HUMMEL AG

E103997

LISE-MEITNER-STRASSE 2
79211 DENZLINGEN, GERMANY

Cord connectors Model(s) LC M 32B, LC M 32G, LC M 50MB, LC M 50MG, LC M 63B, LC M 63G, LC M40B, LC M40G, LC P 29B, LC P 29G, LC P 36B, LC P 36G, LC P 42B, LC P 42G, LC P 48B, LC P 48G, LCM25B, LCM25G, LCM32B, LCM32G, LCN 54B, LCN 54G, LCN 64B, LCN 64G, LCN1B, LCN1G, LCN3/4B, LCN3/4G, LCP21B, LCP21G, LCP29B, LCP29G

Liquid-tight flexible cord connectors Model(s) 1.618.2000.50, 1.618.2000.51, 1.618.2500.50, 1.618.2500.51, 1.618.3200.50, 1.618.3200.51, 1.683.2000.50, 1.683.2000.51, 1.683.2500.50, 1.683.2500.51, 1.683.3200.50, 1.683.3200.51

HSK-EH sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-ELBOW sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-FLEX-WINKEL sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX-EMV-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX-PVDF sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-INOX/-PVDF-Ex sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-K sizes, PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-K-Ex sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-K-FLEX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-K-PVDF sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-K/Metrica-P, sizes M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5.

HSK-KE sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-KE-FLEX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-KR sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-KR-FLEX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M, HSK-MZ, HSK-MZ-EMV, HSK-M-EX, HSK-MZ-EX, HSK-INOX, HSK-INOX-EX, HSK-M-EMV, HSK-M-PVDF, HSK-M-PVDF-EMV, HSK-M-EMV-D, HSK-M-FLEX, HSK-M-FLEX-EMV, HSK-M/-PVDF-Ex, HSK-MZ/-PVDF-Ex, HSK-INOX/-PVDF-Ex; Sizes PG13, PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-EMV-D sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-EMV-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-FLEX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-FLEX-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-PVDF sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-PVDF-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M-PVDF-EMV-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-M/-PVDF-Ex sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-MZ sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-MZ-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-MZ-EMV-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-MZ-EX sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.



HSK-MZ/-PVDF-Ex sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

HSK-WINKEL sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

MLCM25, MLCM32, MLCM40, MLCM50, MLCM63

Outlet Bushings and Fittings Model(s) 1.740.2503.50, 1.740.2503.52, 1.740.3203.50, 1.740.3203.51

HSK-INOX-PVDF-EMV sizes PG13.5, PG16, PG21, PG29, PG36, PG42, PG48, M20x1.5, M25x1.5, M32x1.5, M40x1.5, M50x1.5, M63x1.5, NPT 1/2, NPT 3/4, NPT 1, NPT 1-1/4, NPT 1-1/2, NPT 1/2/16.

Trademark and/or Tradename:  ,  , EcoTec

Last Updated on 2017-05-22

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"